

July 02, 2019

GARDEN OF LIFE Order No. 506904 4200 Northcorp Parkway Sample No. 1028884

Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Dr. Formulated CBD 30 mg 30ct (103619) Description

Lot Number B1900366 Category (Type) Other

June 25, 2019 Received

ANALYTICAL RESULTS

Analysis Cannabinoid Profile Pass

Liquid Chromatography Diode Array Detector (LC-DAD) Instrument

Analysis Date June 25, 2019 to July 02, 2019

Analyte	mg/g	mg/g (dry)	% (dry)	mg/serving	mg/unit	Listed Value (mg/ serving)	% Difference	Status
Total THC	ND	ND	ND	ND	ND	-	-	Pass
Total CBD	78.11	83.1488	8.31488	31.4205	942.615	30	4.735	-
Moisture	6.06 %							
Label Claims	30 mg CBD per serving							
Measured Serving Weight (g) 0.40226							
Servings / Unit	30							

Reported by Anresco, Inc. Limit of Quantitation: 1.0 mg/g Limit of Detection: 0.4 mg/g

ND = None Detected

<LOQ = Below Limit of Quantitation <LOD = Below Limit of Detection

Eric Tam Senior Chemist

July 02, 2019



July 02, 2019

GARDEN OF LIFE

4200 Northcorp Parkway Palm Beach Gardens, FL 33410

Order No. 506904 Sample No. 1028884

SAMPLE INFORMATION

Dr. Formulated CBD 30 mg 30ct (103619) Description

Lot Number B1900366 Category (Type) Other

Received June 25, 2019

ANALYTICAL RESULTS

Analysis Terpene Profile

Instrument Gas Chromatography Mass Spectrometry (GC/MS)

Method American Herbal Pharmacopoeia **Analysis Date** June 25, 2019 to July 02, 2019

Terpene	mg/g	%	Listed Value	% Difference	Status
α-Pinene	0.636	0.0636	-	-	-
Isopulegol	ND	ND	-	-	-
Camphene	0.32	0.0320	-	-	-
Menthol	ND	ND	-	-	-
ß-Myrcene	0.499	0.0499	-	-	-
(-)-Borneol	0.193	0.0193	-	-	-
β-Pinene	0.42	0.0420	-	-	-
Terpineol	1.94	0.194	-	-	-
δ -3-Carene	0.439	0.0439	-	-	-
Citronellol	ND	ND	-	-	-
Limonene	2.09	0.209	-	-	-
Geraniol	0.0294	0.00294	-	-	-
α-Terpinene	0.78	0.0780	-	-	-
ß-Caryophyllene	61.5	6.15	-	-	-
trans-beta-Ocimene	ND	ND	-	-	-
α-Humulene	1.38	0.138	-	-	-
cis-beta-Ocimene	1.86	0.186	-	-	-
cis-Nerolidol	ND	ND	-	-	-
p-Cymene	1.3	0.130	-	-	-
trans-Nerolidol	0.271	0.0271	-	-	-
Eucalyptol	5.61	0.561	-	-	-
Guaiol	0.109	0.0109	-	-	-
y-Terpinene	0.453	0.0453	-	-	-
Caryophyllene Oxide	2.04	0.204	-	-	-
Terpinolene	0.509	0.0509	-	-	-
α-Bisabolol	0.225	0.0225	-	-	-
Linalool	0.306	0.0306	-	-	-
Eudesmol	0.195	0.0195	-	-	-
Total Terpenes	83.1044	8.31044	-	-	-

Reported by Anresco, Inc.

Eric Tam Senior Chemist

July 02, 2019

Limit of Quantitation: 0.0015 mg/g

ND = None Detected

<LOQ = Below Limit of Quantitation <LOD = Below Limit of Detection

If there are any questions with this report, please contact "iso@anresco.com".

page **1** of **1**



July 02, 2019

GARDEN OF LIFE4200 Northcorp Parkway

Order No. 506904

Sample No. 1028884

Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Description Dr. Formulated CBD 30 mg 30ct (103619)

Lot Number B1900366 **Category (Type)** Other

Received June 25, 2019

ANALYTICAL RESULTS

Analysis Date June 25, 2019 to July 02, 2019

Analysis	Method	Findings
Standard Plate Count cfu/g	FDA BAM	<10
Yeast cfu/g	AOAC 2014.05	<10
Mold cfu/g	AOAC 2014.05	<10
Coliforms cfu/g	FDA BAM - ECC Agar	<10
E. coli	FDA BAM - ECC Agar	<10
Salmonella	AOAC 2016.01	Negative/1g
Staph	AOAC 2003.07	<10

Reported by **Anresco, Inc.**

Eric Tam Senior Chemist

If there are any questions with this report, please contact "iso@anresco.com".



July 02, 2019

GARDEN OF LIFE Order No. 506904 4200 Northcorp Parkway Sample No. 1028884

Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Description Dr. Formulated CBD 30 mg 30ct (103619)

Lot Number B1900366 Category (Type) Other

Received June 25, 2019

ANALYTICAL RESULTS

Analysis Heavy Metal Screen Pass

Instrument ICP-MS Method MF 24E020

Analysis Date June 25, 2019 to July 02, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Lead	0.02/0.05	<loq< td=""><td>0.5</td><td>Pass</td></loq<>	0.5	Pass
Mercury	0.02/0.05	ND	3.0	Pass

ND = None Detected Reported by

<LOQ = Below Limit of Quantitation

<LOD = Below Limit of Detection

Eric Tam Senior Chemist

July 02, 2019

Anresco, Inc.



July 02, 2019

GARDEN OF LIFE Order No. 506904 4200 Northcorp Parkway Sample No. 1028884

Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Dr. Formulated CBD 30 mg 30ct (103619) Description

Lot Number B1900366 Category (Type) Other

June 25, 2019 Received

ANALYTICAL RESULTS

Analysis Residual Solvent Screen Pass

Instrument Gas Chromatography Mass Spectrometry (GC/MS)

Method USP OVI<467>

Analysis Date June 25, 2019 to July 02, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	<loq< td=""><td>5000</td><td>Pass</td></loq<>	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

Reported by Anresco, Inc.

Eric Tam Senior Chemist

July 02, 2019

ND = None Detected

<LOQ = Below Limit of Quantitation

<LOD = Below Limit of Detection

If there are any questions with this report, please contact "iso@anresco.com".

page **1** of **1**



July 02, 2019

GARDEN OF LIFE Order No. 506904 4200 Northcorp Parkway Sample No. 1028884

Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Description Dr. Formulated CBD 30 mg 30ct (103619)

Lot Number B1900366 Category (Type) Other

June 25, 2019 Received

ANALYTICAL RESULTS

Analysis

Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Instrument

Tandem Mass Spectrometry (GC-MS/MS)

Method MF 21P030

June 25, 2019 to July 02, 2019 **Analysis Date**

Abamectin 0.04/0.10 ND 0.3 Pass Acephate 0.04/0.10 ND 5.0 Pass Acequinocyl 0.04/0.10 ND 4.0 Pass Acetamiprid 0.04/0.10 ND 5.0 Pass Aldicarb 0.04/0.10 ND 0.04 Pass Bifenazate 0.04/0.10 ND 40.0 Pass Bifenatate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.0 Pass Carboryl 0.04/0.10 ND 40.0 Pass Chlordanteralliprole 0.04/0.10 ND 40.0 Pass Chlorpatramiliprole 0.04/0.10 ND 0.0 <t< th=""><th>Analyte</th><th>LOD / LOQ (µg/g)</th><th>Findings (µg/g)</th><th>Limit (µg/g)</th><th>Status</th></t<>	Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Acequinocyl 0.04/0.10 ND 4.0 Pass Acetamiprid 0.04/0.10 ND 5.0 Pass Aldicarb 0.04/0.10 ND 0.04 Pass Aldicarb 0.04/0.10 ND 40.0 Pass Bifenazate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass	Abamectin	0.04/0.10	ND	0.3	Pass
Acetamiprid 0.04/0.10 ND 5.0 Pass Aldicarb 0.04/0.10 ND 0.04 Pass Azoxystrobin 0.04/0.10 ND 40.0 Pass Bifenatate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carboruran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pa	Acephate	0.04/0.10	ND	5.0	Pass
Aldicarb 0.04/0.10 ND 0.04 Pass Azoxystrobin 0.04/0.10 ND 40.0 Pass Bifenazate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.0 Pass Cypermethrin 0.70/2.00 ND 1.0	Acequinocyl	0.04/0.10	ND	4.0	Pass
Azoxystrobin 0.04/0.10 ND 40.0 Pass Bifenazate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0	Acetamiprid	0.04/0.10	ND	5.0	Pass
Bifenazate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Colfenetzine 0.04/0.10 ND 0.5 Pass Colfertezine 0.04/0.10 ND 0.5 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0	Aldicarb	0.04/0.10	ND	0.04	Pass
Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlorantraniliprole 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.0 Pass Cumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0	Azoxystrobin	0.04/0.10	ND	40.0	Pass
Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass DDWP (Dichlorvous) 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND	Bifenazate	0.04/0.10	ND	5.0	Pass
Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Chlorpyrifos 0.04/0.10 ND 0.5 Pass Colfentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND <	Bifenthrin	0.20/0.50	ND	0.5	Pass
Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND	Boscalid	0.04/0.10	ND	10.0	Pass
Carbofuran 0.04/0.10 ND 0.04 Pass Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND	Captan	0.25/0.70	ND	5.0	Pass
Chlorantraniliprole 0.04/0.10 ND 40.0 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND <td< td=""><td>Carbaryl</td><td>0.20/0.50</td><td>ND</td><td>0.5</td><td>Pass</td></td<>	Carbaryl	0.20/0.50	ND	0.5	Pass
Chlordane 0.04/0.10 ND 0.04 Pass Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND <t< td=""><td>Carbofuran</td><td>0.04/0.10</td><td>ND</td><td>0.04</td><td>Pass</td></t<>	Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorfenapyr 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etocazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 0.04 Pass Fenoxycarb 0.04/0.10 ND 0.04 </td <td>Chlorantraniliprole</td> <td>0.04/0.10</td> <td>ND</td> <td>40.0</td> <td>Pass</td>	Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlorpyrifos 0.04/0.10 ND 0.0 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 0.04 Pass Fenoxycarb 0.04/0.10 ND 0.04 <td>Chlordane</td> <td>0.04/0.10</td> <td>ND</td> <td>0.04</td> <td>Pass</td>	Chlordane	0.04/0.10	ND	0.04	Pass
Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 0.04 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Chlorpyrifos	0.04/0.10	ND	0.0	Pass
Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Clofentezine	0.04/0.10	ND	0.5	Pass
Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Coumaphos	0.04/0.10	ND	0.04	Pass
Daminozide 0.04/0.10 ND 0.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Cyfluthrin	0.70/2.00	ND	1.0	Pass
DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Cypermethrin	0.35/1.00	ND	1.0	Pass
Diazinon 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Daminozide	0.04/0.10	ND	0.0	Pass
Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	DDVP (Dichlorvous)	0.04/0.10	ND	0.04	Pass
Dimethomorph 0.04/0.10 ND 20.0 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Diazinon	0.04/0.10	ND	0.2	Pass
Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Dimethoate	0.04/0.10	ND	0.04	Pass
Etofenprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Dimethomorph	0.04/0.10	ND	20.0	Pass
Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Fenhexamid 0.04/0.10 ND 10.0 Pass Fenoxycarb 0.04/0.10 ND 0.04 Pass	Etofenprox	0.04/0.10	ND	0.04	Pass
Fenoxycarb 0.04/0.10 ND 0.04 Pass	Etoxazole	0.04/0.10	ND	1.5	Pass
•	Fenhexamid	0.04/0.10	ND	10.0	Pass
•	Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate 0.04/0.10 ND 2.0 Pass	Fenpyroximate	0.04/0.10	ND	2.0	Pass

If there are any questions with this report, please contact "iso@anresco.com".

page **1** of **5**



Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/1.00	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.50/1.50	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.50/1.50	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiaclorprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	<u>-</u>
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	<u>-</u>
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	_
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	_
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	
BHC alpha	0.04-0.20 / 0.1-0.5	ND	<u>-</u>	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	
Bitertanol	0.04-0.20 / 0.1-0.5	ND	_	
Buprofezin	0.04-0.20 / 0.1-0.5	ND		
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND		<u> </u>
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND		
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND		
Chlorotoluron	0.04-0.20 / 0.1-0.5		-	
Chiorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "iso@anresco.com".

page 2 of 5



Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	_
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	_
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	_
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	_
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	
Diphenamid	0.04-0.20 / 0.1-0.5	ND	-	
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	
Diuron	0.04-0.20 / 0.1-0.5	ND	_	
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	_	_
Ethalfluralin	0.04-0.20 / 0.1-0.5	ND		
Ethylan	0.04-0.20 / 0.1-0.5	ND	_	
Etridazole*	0.04-0.20 / 0.1-0.5	ND		
Fenarimol	0.04-0.20 / 0.1-0.5	ND		
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND		
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND		
Fenthion	0.04-0.20 / 0.1-0.5	ND		-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	<u> </u>	
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND		
Flubendiamide	0.04-0.20 / 0.1-0.5	ND		
Fluchloralin	0.04-0.20 / 0.1-0.5	ND		
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	
Flutriafol		ND ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5		-	-
	0.04-0.20 / 0.1-0.5	ND	<u>-</u>	
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5 0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor		ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "iso@anresco.com".

page 3 of 5



Amplita	100 (100 (117/2)	Findings (v.g.(g)	Limit (vala)	Chatus
Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
5-OH Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyflourfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	<u>-</u>
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	
Tebufenozide	0.04-0.20 / 0.1-0.5	ND	<u> </u>	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	<u> </u>	
Tefluthrin	0.04-0.20 / 0.1-0.5	ND		
Terbutylazine	0.04-0.20 / 0.1-0.5	ND		<u>-</u>
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND ND	-	
Tetradifon	0.04-0.20 / 0.1-0.5	ND ND	<u>-</u>	-
Thiobencarb			-	<u>-</u>
	0.04-0.20 / 0.1-0.5	ND	-	<u>-</u>
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "iso@anresco.com".

page 4 of 5



Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by **Anresco, Inc.**

ND = None Detected

<LOQ = Below Limit of Quantitation

<LOD = Below Limit of Detection

Eric Tam Senior Chemist

July 02, 2019



July 02, 2019

GARDEN OF LIFE4200 Northcorp Parkway

Sample No. 1028884

Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Description Dr. Formulated CBD 30 mg 30ct (103619)

Lot Number B1900366 Category (Type) Other

Received June 25, 2019

ANALYTICAL RESULTS

Analysis Gluten

Analysis Date June 25, 2019 to July 02, 2019

Analyte LOD / LOQ Finding Units
Gluten 5/5 Non Detected ppm

Reported by **Anresco, Inc.**

Eric Tam Senior Chemist

July 02, 2019



Consolidated COA

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



MANUFACTURER:

Garden of Life 4200 Northcorp Parkway Palm Beach Gardens, FL 33410

SAMPLE INFORMATION

Sample No.: 1044729
Product Name: 103619
Matrix: Concentrate
Batch #: 11900366

TEST SUMMARY

Date Received: 02/19/2020 Date Reported: 02/21/2020

Other Analyses:

Overall: Pass

OTHER ANALYSES

Analyte	Method	Instrument	Finding	LOD	LOQ	Date Completed	
Glyphosate	Anresco MF 2P030	LC-MS/MS	None Detected	2	5	02/20/2020	
AMPA	Anresco MF 2P030	LC-MS/MS	None Detected	2	5	02/20/2020	

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by





Scan to verify